
Roll & Hill


T +1 718 387 6132
www.rollandhill.com

CONTENTS


Excel Desk Lamp




Base



USB Driver



(x2) Machine Screws



(x5) Driver Adapters




SAFETY INFORMATION

Only one light bulb per socket.
Only suitable for direct mounting on non-combustible surfaces.
Under no circumstances can Excel fixtures be mounted on normally flammable surfaces.
Suitable for dry, indoor use only.
Maximum ambient temperature: 25° C
If the external flexible cable or cord of this luminare is damaged, it shall be exclusively replaced by Roll & Hill or Roll & Hill's service agent or a similarly qualified person in order to avoid hazard.

T +1 718 387 6132
www.rollandhill.com

INSTALLATION | ATTACHING THE BASE


1. Attach desk lamp (A) to base (B) using x2 provided machine screws (C).





T +1 718 387 6132
www.rollandhill.com


INSTALLATION | POWER & DIMMING


1. Find the suitable driver adapter for your country's outlet type.


North America


Europe



United Kingdom


Australia


China

2. Slide driver adapter (A) into USB driver (B) until it clicks into place.

3. To remove a driver adapter, press on the flexible tab on the adapter (A) and slide it out of the USB driver (B).



4. Use the switch button to turn it on and off (C)

