

PH ARTICHOKE

Dusty green/high lustre chrome plated, 5741946680, Designed by Poul Henningsen

Type:

Product:

Project:

Modified:



Technical specifications

Materials

Leaves: Punched brass, punched copper or laser cut stainless steel.

Top shade: Spun steel.

Frame: High lustre chrome plated, laser cut steel.

Suspension: High lustre chrome plated, spun aluminum.

Finishes

Brass, Copper, or Stainless Steel, brushed and coated.

Black, Dusty Blue, or Dusty Green, powder coated.

White, wet painted.

Wet painted inner side, white.

High lustre chrome plated or polished brass metallised frame.

Mounting

Mounting: Suspension type: 3x stainless steel aircraft cables.

Suspension length: 12'.

Canopy: White.

Cord type: 3-conductors (non-LED) / 2-conductors (LED), 18 AWG white PVC power cord.

Cord color: white cord.

Cord length: 12'. For mounting instructions, see download section on the product detail page.

Information

Electrical:

System Wattage: 96W (LED); 200W (INC)

LED Wattage: 184 W or 88 W

Delivered lumens: 615 - 3,681

Efficacy: 3.1 lm/W - 38.3 lm/W

Certifications:

Class: IP20,cULus, Dry Location

Protection class IP20

Controllability: 0-10V Dimming (LED variants); Phase dimming (incandescent variants)

Color Rendering: Ra≥90 for LED variants.

Performance dependent upon screw-base lamp used in socketed variants. For the E-socket product variants, bulbs are not included.

LED light source is part of the product.

SPECIFICATION NOTES

a. 18.9" available in 200W incandescent or 44W LED.

b. 23.6", 28.3" and 33.1" available only in 96W LED.

c. Incandescent variants available only in 120V.

d. LED variants available only in 120-277V with 0-10V dimming.

PH ARTICHOKE

Dusty green/high lustre chrome plated, 5741946680, Designed by Poul Henningsen

Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FREQ	DELIVERED LUMEN	FEATURES	CABLE	COLOR, RAL	W / H / L (IN) / W (LB)
5741938193	LED 3000-1800K D2W 41W		1208	Phase dimming (mains dimm)	White cord and wire	WHT, 081	18.9 / 17.5 / 18.9 in / 21.4 lb
5741938203	LED 3000K 41W		1466	Dim 1-10v	White cord and wire	WHT, 081	18.9 / 17.5 / 18.9 in / 20.9 lb
5741938216	LED 3000-1800K D2W 41W		1208	Dim 1-10v	White cord and wire	WHT, 081	18.9 / 17.5 / 18.9 in / 21.0 lb
5741938229	LED 3000-1800K D2W 41W		1208	Phase dimming (mains dimm)	White cord and wire	BLK, 776	18.9 / 17.5 / 18.9 in / 20.8 lb
5741938232	LED 3000K 41W		779	Dim 1-10v	White cord and wire	BLK, 776	18.9 / 17.5 / 18.9 in / 20.3 lb
5741938245	LED 3000-1800K D2W 41W		641	Dim 1-10v	White cord and wire	BLK, 776	18.9 / 17.5 / 18.9 in / 20.4 lb
5741941232	Integrated LED 3000K (96 W, no bulb required)		2606	Phase dimming (mains dimm)	White cord and wire	BLK, 776	28.3 / 25.6 / 28.3 in / 44.3 lb
5741942781	Integrated LED 2700K (96 W, no bulb required)		1711	Dim 1-10v	White cord and wire	Pequin stripes	- / - / - in / 37.4 lb
5741943641	LED 2700K 96W		3631	Phase dimming (mains dimm)	White cord and wire	WHT, 081	23.6 / 22.8 / 23.6 in / 36.9 lb
5741943654	LED 2700K 96W		2037	Phase dimming (mains dimm)	White cord and wire	BLK, 776	23.6 / 22.8 / 23.6 in / 40.5 lb
5741943667	LED 3000K 96W		3777	Phase dimming (mains dimm)	White cord and wire	WHT, 081	23.6 / 22.8 / 23.6 in / 36.9 lb
5741943670	LED 3000K 96W		2119	Phase dimming (mains dimm)	White cord and wire	BLK, 776	23.6 / 22.8 / 23.6 in / 40.5 lb
5741943683	Integrated LED 2700K (96 W, no bulb required)		3538	Phase dimming (mains dimm)	White cord and wire	WHT, 081	28.3 / 25.6 / 28.3 in / 45.5 lb
5741943696	Integrated LED 2700K (96 W, no bulb required)		2505	Phase dimming (mains dimm)	White cord and wire	BLK, 776	28.3 / 25.6 / 28.3 in / 44.3 lb
5741943706	Integrated LED 3000K (96 W, no bulb required)		3681	Phase dimming (mains dimm)	White cord and wire	WHT, 081	28.3 / 25.6 / 28.3 in / 45.4 lb
5741943722	Integrated LED 2700K (96 W, no bulb required)		3538	Phase dimming (mains dimm)	White cord and wire	WHT, 081	33.1 / 28.3 / 33.1 in / 54.1 lb
5741943735	Integrated LED 2700K (96 W, no bulb required)		2505	Phase dimming (mains dimm)	White cord and wire	BLK, 776	33.1 / 28.3 / 33.1 in / 52.0 lb
5741943748	Integrated LED 3000K (96 W, no bulb required)		3681	Phase dimming (mains dimm)	White cord and wire	WHT, 081	33.1 / 28.3 / 33.1 in / 54.0 lb
5741943751	Integrated LED 3000K (96 W, no bulb required)		2606	Phase dimming (mains dimm)	White cord and wire	BLK, 776	33.1 / 28.3 / 33.1 in / 51.9 lb
5741943764	LED 2700K 96W		2387	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	23.6 / 22.8 / 23.6 in / 37.3 lb
5741943777	LED 3000K 96W		2483	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	23.6 / 22.8 / 23.6 in / 37.2 lb
5741943803	LED 2700K 96W		2621	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	23.6 / 22.8 / 23.6 in / 38.7 lb
5741943816	LED 3000K 96W		2726	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	23.6 / 22.8 / 23.6 in / 38.6 lb
5741943829	LED 2700K 96W		2621	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	23.6 / 22.8 / 23.6 in / 40.5 lb
5741943832	LED 3000K 96W		2726	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	23.6 / 22.8 / 23.6 in / 40.5 lb
5741943861	Integrated LED 2700K (96 W, no bulb required)		2630	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	28.3 / 25.6 / 28.3 in / 41.3 lb
5741943874	Integrated LED 3000K (96 W, no bulb required)		2736	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	28.3 / 25.6 / 28.3 in / 41.2 lb
5741943887	Integrated LED 2700K (96 W, no bulb required)		3030	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	28.3 / 25.6 / 28.3 in / 44.5 lb
	Integrated LED 3000K (96 W, no bulb required)			Phase dimming	White cord	BRASS BRUS & COAT,	28.3 / 25.6 / 28.3

PH ARTICHOKE

Dusty green/high lustre chrome plated, 5741946680, Designed by Poul Henningsen

5741943890	no bulb required)	3152	(mains dimm)	and wire	939	in / 44.4 lb
5741943900	Integrated LED 2700K (96 W, no bulb required)	3030	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	28.3 / 25.6 / 28.3 in / 44.5 lb
5741943913	Integrated LED 3000K (96 W, no bulb required)	3152	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	28.3 / 25.6 / 28.3 in / 44.4 lb
5741943926	Integrated LED 2700K (96 W, no bulb required)	2630	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	33.1 / 28.3 / 33.1 in / 49.7 lb
5741943939	Integrated LED 3000K (96 W, no bulb required)	2736	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	33.1 / 28.3 / 33.1 in / 49.6 lb
5741943968	Integrated LED 2700K (96 W, no bulb required)	3030	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	33.1 / 28.3 / 33.1 in / 52.0 lb
5741943971	Integrated LED 3000K (96 W, no bulb required)	3152	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	33.1 / 28.3 / 33.1 in / 51.9 lb
5741943984	Integrated LED 2700K (96 W, no bulb required)	3152	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	33.1 / 28.3 / 33.1 in / 53.2 lb
5741943997	Integrated LED 3000K (96 W, no bulb required)	3152	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	33.1 / 28.3 / 33.1 in / 53.1 lb
5741944006	LED 2700K 96W	1726	Phase dimming (mains dimm)	White cord and wire	Pale rose	23.6 / 22.8 / 23.6 in / 33.4 lb
5741944019	LED 3000K 96W	1795	Phase dimming (mains dimm)	White cord and wire	Pale rose	23.6 / 22.8 / 23.6 in / 33.3 lb
5741944158	1x200W A-23/CL medium US	762	-	White cord and wire	WHT, 081	18.9 / 17.5 / 18.9 in / 20.1 lb
5741944161	1x200W A-23/CL medium US	479	-	White cord and wire	BLK, 776	18.9 / 17.5 / 18.9 in / 19.5 lb
5741944174	1x200W A-23/CL medium US	588	-	White cord and wire	BRASS BRUS & COAT, 939	18.9 / 17.5 / 18.9 in / 20.4 lb
5741944187	1x200W A-23/CL medium US	547	-	White cord and wire	BR ST STEEL, 955	18.9 / 17.5 / 18.9 in / 20.3 lb
5741944190	1x200W A-23/CL medium US	588	-	White cord and wire	COP LAC, 930	18.9 / 17.5 / 18.9 in / 19.7 lb
5741944255	LED 3000-1800K D2W 41W	894	Phase dimming (mains dimm)	White cord and wire	COP LAC, 930	18.9 / 17.5 / 18.9 in / 20.9 lb
5741944268	LED 3000K 41W	1085	Dim 1-10v	White cord and wire	COP LAC, 930	18.9 / 17.5 / 18.9 in / 20.5 lb
5741944271	LED 3000-1800K D2W 41W	894	Dim 1-10v	White cord and wire	COP LAC, 930	18.9 / 17.5 / 18.9 in / 20.6 lb
5741944284	LED 3000-1800K D2W 41W	800	Phase dimming (mains dimm)	White cord and wire	BR ST STEEL, 955	18.9 / 17.5 / 18.9 in / 21.6 lb
5741944297	LED 3000K 41W	971	Dim 1-10v	White cord and wire	BR ST STEEL, 955	18.9 / 17.5 / 18.9 in / 21.1 lb
5741944307	LED 3000-1800K D2W 41W	800	Dim 1-10v	White cord and wire	BR ST STEEL, 955	18.9 / 17.5 / 18.9 in / 21.2 lb
5741944310	LED 3000-1800K D2W 41W	800	Phase dimming (mains dimm)	White cord and wire	BRASS BRUS & COAT, 939	18.9 / 17.5 / 18.9 in / 21.7 lb
5741944323	LED 3000K 41W	971	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	18.9 / 17.5 / 18.9 in / 21.2 lb
5741944336	LED 3000-1800K D2W 41W	800	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	18.9 / 17.5 / 18.9 in / 21.4 lb
5741945364	LED 3000K 96W	2483	Dim 1-10v	White cord and wire	BR ST STEEL, 955	23.6 / 22.8 / 23.6 in / 37.6 lb
5741945377	LED 3000K 96W	2726	Dim 1-10v	White cord and wire	COP LAC, 930	23.6 / 22.8 / 23.6 in / 40.9 lb
5741945380	LED 3000K 96W	3777	Dim 1-10v	White cord and wire	WHT, 081	23.6 / 22.8 / 23.6 in / 37.3 lb
5741945393	LED 2700K 96W	2387	Dim 1-10v	White cord and wire	BR ST STEEL, 955	23.6 / 22.8 / 23.6 in / 37.7 lb
5741945403	LED 2700K 96W	2621	Dim 1-10v	White cord and wire	COP LAC, 930	23.6 / 22.8 / 23.6 in / 41.0 lb
5741945416	LED 2700K 96W	3631	Dim 1-10v	White cord and wire	WHT, 081	23.6 / 22.8 / 23.6 in / 37.4 lb
5741945429	LED 2700K 96W	2621	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	23.6 / 22.8 / 23.6 in / 39.1 lb

PH ARTICHOKE

Dusty green/high lustre chrome plated, 5741946680, Designed by Poul Henningsen

5741945432	LED 3000K 96W	2726	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	23.6 / 22.8 / 23.6 in / 39.1 lb
5741945458	LED 2700K 96W	2037	Dim 1-10v	White cord and wire	BLK, 776	23.6 / 22.8 / 23.6 in / 41.0 lb
5741945461	Integrated LED 3000K (96 W, no bulb required)	2736	Dim 1-10v	White cord and wire	BR ST STEEL, 955	28.3 / 25.6 / 28.3 in / 41.7 lb
5741945474	Integrated LED 3000K (96 W, no bulb required)	3152	Dim 1-10v	White cord and wire	COP LAC, 930	28.3 / 25.6 / 28.3 in / 44.8 lb
5741945487	Integrated LED 3000K (96 W, no bulb required)	3681	Dim 1-10v	White cord and wire	WHT, 081	28.3 / 25.6 / 28.3 in / 45.8 lb
5741945490	Integrated LED 2700K (96 W, no bulb required)	2387	Dim 1-10v	White cord and wire	BR ST STEEL, 955	28.3 / 25.6 / 28.3 in / 41.7 lb
5741945500	Integrated LED 2700K (96 W, no bulb required)	2621	Dim 1-10v	White cord and wire	COP LAC, 930	28.3 / 25.6 / 28.3 in / 44.9 lb
5741945513	Integrated LED 2700K (96 W, no bulb required)	3631	Dim 1-10v	White cord and wire	WHT, 081	28.3 / 25.6 / 28.3 in / 45.9 lb
5741945526	Integrated LED 2700K (96 W, no bulb required)	3030	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	28.3 / 25.6 / 28.3 in / 44.9 lb
5741945539	Integrated LED 3000K (96 W, no bulb required)	3152	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	28.3 / 25.6 / 28.3 in / 44.8 lb
5741945542	Integrated LED 2700K (96 W, no bulb required)	2505	Dim 1-10v	White cord and wire	BLK, 776	28.3 / 25.6 / 28.3 in / 44.8 lb
5741945555	Integrated LED 3000K (96 W, no bulb required)	2606	Dim 1-10v	White cord and wire	BLK, 776	28.3 / 25.6 / 28.3 in / 44.7 lb
5741945568	Integrated LED 3000K (96 W, no bulb required)	2736	Dim 1-10v	White cord and wire	BR ST STEEL, 955	33.1 / 28.3 / 33.1 in / 50.1 lb
5741945571	Integrated LED 3000K (96 W, no bulb required)	3152	Dim 1-10v	White cord and wire	COP LAC, 930	33.1 / 28.3 / 33.1 in / 53.6 lb
5741945584	Integrated LED 3000K (96 W, no bulb required)	3681	Dim 1-10v	White cord and wire	WHT, 081	33.1 / 28.3 / 33.1 in / 54.5 lb
5741945597	Integrated LED 2700K (96 W, no bulb required)	2630	Dim 1-10v	White cord and wire	BR ST STEEL, 955	33.1 / 28.3 / 33.1 in / 50.2 lb
5741945607	Integrated LED 2700K (96 W, no bulb required)	3030	Dim 1-10v	White cord and wire	COP LAC, 930	33.1 / 28.3 / 33.1 in / 53.7 lb
5741945610	Integrated LED 2700K (96 W, no bulb required)	3538	Dim 1-10v	White cord and wire	WHT, 081	33.1 / 28.3 / 33.1 in / 54.6 lb
5741945623	Integrated LED 2700K (96 W, no bulb required)	3030	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	33.1 / 28.3 / 33.1 in / 52.4 lb
5741945636	Integrated LED 3000K (96 W, no bulb required)	3152	Dim 1-10v	White cord and wire	BRASS BRUS & COAT, 939	33.1 / 28.3 / 33.1 in / 52.3 lb
5741945649	Integrated LED 2700K (96 W, no bulb required)	2505	Dim 1-10v	White cord and wire	BLK, 776	33.1 / 28.3 / 33.1 in / 52.4 lb
5741945652	Integrated LED 3000K (96 W, no bulb required)	2606	Dim 1-10v	White cord and wire	BLK, 776	33.1 / 28.3 / 33.1 in / 52.3 lb
5741946680	1x100W A-23/CL medium US	640	-	White cord and wire	Dusty green/high lustre chrome plated	18.9 / 17.5 / 18.9 in / 7.3 lb
5741946693	1x100W A-23/CL medium US	640	-	White cord and wire	Dusty green/brass metallised	18.9 / 17.5 / 18.9 in / 7.3 lb
5741946884	LED 2700K 96W	3002	Phase dimming (mains dimm)	White cord and wire	Dusty green/brass metallised	23.6 / 22.8 / 23.6 in / 15.6 lb
5741946897	LED 2700K 96W	3002	Phase dimming (mains dimm)	White cord and wire	Dusty green/high lustre chrome plated	23.6 / 22.8 / 23.6 in / 15.6 lb
5741947045	1x100W A-23/CL medium US	-	-	White cord and wire	Soft white/brass metallised	18.9 / 17.5 / 18.9 in / 7.3 lb
5741947090	LED 2700K	-	Phase dimming (mains dimm)	White cord and wire	Soft white/brass metallised	23.6 / 22.8 / 23.6 in / 15.5 lb