

# PATERA OVAL PENDANT


White matt, 5741936069, Designed by Øivind Slaatto

Type:

Product:

Project:

Modified:



## Technical specifications

### Materials

Shade: matte PVC sheet. Frame: White, opal, matte-coated injection-molded polycarbonate with steel reinforcing rods. Stem: aluminum. LED: Aluminum heatsink. Bottom diffuser: Injection-molded opal white acrylic.

### Finishes

White, matte.

### Mounting

12'. 2-conductor, 18 AWG white cloth-covered power cord. White LED Canopy with driver included. For mounting instructions, see download section on the product detail page.

### Information

#### Electrical:

System Wattage: 41W (LED); 40W (INC)

LED

Wattage: 39W

Delivered lumens: 2,553 - 2,656 (LED)

Efficacy: 62 lm/W - 65 lm/W (LED)

#### Certifications:

cULus, Damp Location

Protection class IP20

Controllability: 0-10V Dimming (LED variants); Phase dimming (incandescent variant)

Color Rendering: Ra $\geq$ 90 for LED variants.

Performance dependent upon screw-base lamp used in socketed variants. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

### SPECIFICATION NOTES

a. Incandescent variant available only in 120V.

b. LED variants available only in 120-277V with 0-10V dimming.

---

# PATERA OVAL PENDANT

White matt, 5741936069, Designed by Øivind Slaatto

---

---

# PATERA OVAL PENDANT

White matt, 5741936069, Designed by Øivind Slaatto

---

## Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	DELIVERED LUMEN	FEATURES	CABLE	COLOR, RAL	W / H / L (IN) / W (LB)
5741936014	1 × E26-base bulb (22 W max)	120V/60HZ	1017	-	White fabric cord	WHT, 062	19.7 / 14.2 / 19.7 in / 3.2 lb
5741936069	Integrated LED 2700K (41 W, no bulb required)	120-277V/60HZ	2553	Dim 0-10v	White fabric cord	WHT, 062	19.7 / 14.2 / 19.7 in / 6.5 lb
5741936072	Integrated LED 3000K (41 W, no bulb required)	120-277V/60HZ	2656	Dim 0-10v	White fabric cord	WHT, 062	19.7 / 14.2 / 19.7 in / 6.5 lb

---