


Nocturne W Cone

Designed by Konstantin Grcic, 2026

12W - 2700K - CRI> 90

Modular wall lamp emitting direct and ambient light. Extruded aluminium base and arm with rectangular wall fixing plate. Extra-clear borosilicate glass diffuser in conical form providing focused directional illumination. Die-cast aluminium Light Engine housed within lamp junctions. Dual LED sources: COB LED and perimetral halo LED. Conical light unit swivels on two axes. Dimmable phase cut.

Designed by Konstantin Grcic, Nocturne combines the precise logic of industrial aluminium with the timeless beauty of blown glass. In the floor version, the system rises vertically, allowing one or more luminous volumes to structure the space. Conceived as a modular composition, Nocturne opens tailored possibilities for both architectural and domestic environments. Its innovative Light Engine activates the glass from within, pairing high-performance illumination with a soft halo that gives the transparent material a luminous, almost ethereal quality.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607078761
Mounting	Wall
Environments	Indoor dry location
Light Source Type	LED
Light sources included	Yes
LED type	LED array, LED Module
Power (W)	12
System power (W)	12

Physical

Color	Silver
Length (in)	11.1
Canopy height (in)	1.378
Net weight (lb)	2.87
Gross weight (lb)	7.72
Package volume (in)	3190.94
IP internal	20

Download

Mounting instructions [Download PDF](#)

Photometric Files

LDT / IES [Download ZIP](#)

Technical Drawings

2D [Download ZIP](#)
3D [Download ZIP](#)

Ecodesign and Energy Labelling


Replaceable (LED only) light source by a professional

Replaceable control gear by a professional



IP
20

Schematic light drawing




Photometric

Lighting type	Direct, Indirect
CCT (K)	2700
CRI>	90
Extreme cut off	No


Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Driver	Integrated
Dimmable	Yes
Dimming type	Mains Cut Dimming
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Spare Parts



- | | | |
|-----|----------------------------|---------------|
| 01. | Nocturne W Ceiling Rose US | D305W03AEUAZZ |
| 02. | Nocturne W Power Supply US | RF38307 |



D305W03AEUAZZ

Nocturne W Ceiling Rose US



RF38307

Nocturne W Power Supply US